

SteriCide™

RTU STERILANT

Destroys or Eliminates All Forms of Microbial Life, including Bacterial Spores, in the Inanimate Environment.

- Detergent • Cleaner • Deodorizer
- Disinfectant • Fungicide
- Sporicide/Sterilant

for use on Non-porous Hard Surfaces

PERFECT FOR USE IN
COMMERCIAL, HOSPITAL & MEDICAL ENVIRONMENTS

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR FIRST AID AND
ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS:

Hydrogen peroxide	6.14%
Peracetic acid	0.60%
OTHER INGREDIENTS	93.26%
Total	100.00%

MANUFACTURED BY:

CONSEAL INTERNATIONAL, INC.

90 KERRY PLACE, SUITE 2, NORWOOD, MA 02062

EPA REG. NO.: 58300-25
EPA EST. NO.: 58300-FL-1

NET CONTENTS: 1 Quart / .95 L

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage. Harmful if swallowed. Avoid contact with skin or on clothing. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or physician immediately after treatment for advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container with you when calling a poison control center or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	
NOTE TO DOCTOR: Probable mucosal damage may contraindicate the use of gastric lavage.	

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent. Corrosive. Never mix or use this product in combination with other sanitizers, cleaners or organic substances.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office at the EPA.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Suitable for use as a Detergent, Cleaner, Deodorizer, Disinfectant, Fungicide and Sporicide/Sterilant for use on most hard non-porous materials and surfaces in commercial or health care sites including airports, animal hospitals and veterinary facilities, animal shelters/care facilities, bars/restaurants/caferias, farms, hospitals, healthcare facilities, office buildings, salons, spas. It is compatible with stainless steel, aluminum, linoleum, glazed porcelain and ceramic tile, plastic (vinyl, polyethylene, and polypropylene), and glass.

Note: SteriCide may cause bleaching of treated surfaces; test item if unsure. Before using SteriCide on metal surfaces other than stainless steel and aluminum, it is recommended that the product be tested on a small area to determine compatibility before proceeding with its use.

This product must not result in direct or indirect contamination of food products.

To Clean and Remove Stains: SteriCide is an effective cleaner. Remove gross soil prior to application of SteriCide. Apply by wiping, mopping or as a coarse spray. Allow surface to remain thoroughly wet for at least 2 minutes, then wipe with a clean cloth or allow to air dry.

To Disinfect: SteriCide is an effective broad-spectrum hospital or medical environment disinfectant against gram positive and gram-negative bacteria (i.e., Staphylococcus aureus, Methicillin Resistant Staphylococcus aureus (MRSA), Salmonella enterica, and Pseudomonas aeruginosa). Heavily soiled surfaces must be pre-cleaned prior to disinfection; remove gross soil and then wash with SteriCide followed by thorough potable water rinse. Apply this product by wiping, mopping or as a coarse spray. Allow surface to remain thoroughly wet for at least 2 minutes, then wipe with a clean cloth or allow to air dry. SteriCide may be used in general (household) commercial and medical environments to clean, disinfect, and deodorize inanimate surfaces.

To Kill Fungi: SteriCide is an effective Fungicide against Trichophyton mentagrophytes and Aspergillus niger. Heavily soiled surfaces must be pre-cleaned prior to disinfection; remove gross soil and then wash with SteriCide followed by thorough potable water rinse. Apply this product by wiping, mopping or as a coarse spray. Allow surface to remain thoroughly wet for at least 2 minutes, then wipe with a clean cloth or allow to air dry. Reapply weekly or when mold and mildew growth reappears.

Use as a Sporicide (Sterilant): SteriCide is not to be used as a sterilant on any surface or instrument that is introduced directly into the human body, either into or in contact with the bloodstream or other normally sterile areas of the body. This product is not approved for use as a sterilant on electrical and critical/semi-critical health care related devices. As required to be a Sterilant, SteriCide has been shown to be an effective sporicide against Bacillus subtilis and Clostridium sporogenes when used as directed.

A Sterilant* is an antimicrobial pesticide that destroys or eliminates all forms of microbial life in the inanimate environment, including bacterial spores.

Sterilization by Flooding: Flooding application may be used in situations where a large volume can be spread over a floor or pan surface where the liquid can be contained for the entire contact time without complete evaporation. Remove gross soil from the surface to be sterilized. Use enough product to cover the surface to be treated, ensuring that the surface is covered with the product for the entire 20-minute contact time. Reapply product if it begins to dry out during the 20-minute contact time.

Sterilization by Immersion: Immersion may be used to treat immersible non-electrical articles, tools, and devices that are not related to critical/semi-critical health care (e.g., jewelry, keys, eyewear, small containers, coins, toys, etc.). Remove any obvious debris or organic material from the surface or object to be sterilized. Dismantle devices prior to pre-cleaning, if necessary. Pour appropriate amount of SteriCide into a tray or receptacle that will hold the items to be treated and allow for their complete immersion in, and surface contact with, the solution. Immerse articles for a minimum of 20 minutes. Transfer the treated articles to a water rinse bath to remove the treatment solution. Dry the SteriCide treated articles prior to reassembly or use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not return SteriCide to the original container after it has been removed. Avoid all contaminants, especially dirt, reducing agents and metals. Contamination may reduce shelf life and can induce decomposition. In case of decomposition douse container with cool water and dilute with large volumes of water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight.

PROCEDURE FOR LEAKS OR SPILLS: Stop leak if this can be done without risk. Shut off ignition sources: no flames, smoking, flares, or spark producing tools. Keep combustible and organic materials away. Flush spilled material with large quantities of water.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide mixture, or rinseate is in violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance. If material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of water followed by discharge into suitable treatment system in accordance with all local, state, and Federal environmental laws, rules, regulations, standards, and other requirements.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty, securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions.

ConSeal International Inc. warrants that this product complies with the specifications expressed on the label. To the extent consistent with applicable law, ConSeal International Inc. makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose.

Product No.: 774672

Rev16 Final
8-8-2017

4.937 x 10.25